

DESIGN
INNOVATION
SUSTAINABILITY

ICON




CERAMIN®

PERFORMANCE FLOORING
WITH A STORY

Inhaus®

inhausurfaces.com
1 888 255 3412



MELVILLE 63340
VARIATION: MEDIUM



CLOVERLEY 63345
VARIATION: MEDIUM



LANSDOWNE 63337
VARIATION: MEDIUM



BROOKESWOOD 63342
VARIATION: LIGHT



SALTSPRING 64233
VARIATION: MEDIUM



STERLING 63336
VARIATION: LIGHT



HOLLYBURN 63339
VARIATION: LIGHT



DOCKSIDE 63338
VARIATION: LIGHT

Color may vary between actual product and printed images. Always make your selection from an actual product sample.





BRASSNECK

VARIATION:

63350

MEDIUM



WESTLAKE

VARIATION:

63334

LIGHT



BEASLEY

VARIATION:

63341

LIGHT



BEASLEY | 63341



POSTMARK

VARIATION:

64234

MEDIUM



CALLISTER

VARIATION:

64232

MEDIUM

CERAMIN®

The Ceramin® Story – beautiful and durable floors that are good for you and the environment. Containing no toxins or PVC, Ceramin® floors will contribute to a healthy home while keeping plastics out of our landfills and oceans by using a minimum 25% post-consumer material and being 100% recyclable.



WATERPROOF

- 100% waterproof — suitable for use in all rooms, including bathrooms, kitchens, three-season rooms, and basements
- Dimensionally stable in high humidity and extreme temperatures — eliminates gapping or cupping issues



ULTRA DURABLE

- High abrasion and micro-scratch resistance (Usage Class 33 - Heavy Commercial)
- Lifetime guarantee against color fading
- Megaloc® (angle-drop) locking system allows for installations up to 10,000 sqft without transitions



PVC & TOXIN FREE

- Contains no PVC, formaldehyde, phthalates, or plasticizers
- Ultra-low VOC emissions for healthy home environments



www.bauer-engel.de/en/uz120



BETTER FOR THE ENVIRONMENT



RECYCLE BIN FRIENDLY

- 100% recyclable and can be included with common household recyclable plastics such as milk containers, plastic bottles, and packaging



25% POST-CONSUMER MATERIAL

- Planks contain a minimum of 25% post-consumer material like yogurt cups and food packaging
- Zero waste manufacturing — production waste and excess material is processed into granulate and added back into the production process
- 100% of electricity used in Ceramin® production comes from hydropower



OVERALL THICKNESS	5.5MM (w/ 1MM PAD)
PLANK DIMENSIONS	59.8" x 8.0"
UNIQUE PLANKS*	18 - 24
ABRASION CLASS	USAGE CLASS 33 / AC5
SURFACE TEXTURE	WOOD GRAIN
FINISH	SUPERMATTE
BEVEL	4-SIDED
SOUND PERFORMANCE	IIC 73 dB STC 62 dB ΔIIC 22dB
RESIDENTIAL WARRANTY**	LIFETIME
COMMERCIAL WARRANTY**	10 YEARS

*Also known as repeat pattern, the higher the number of unique planks, the more natural the floors will look.

**Refer to warranty documentation for details.



SCAN FOR
PRODUCT DETAILS
& VISUALIZER

