


# CARPET METAL & SPECIALTY ACCESSORIES

Product Catalog 2022





The information in this catalog is gathered from customers, end users, and our personal experiences. The products have been created to provide you with solutions for today's transition challenges.

We would like to thank you for your patronage and for giving us the opportunity to become "Your Flooring Accessories Specialist". Being "Your Flooring Accessories Specialist" means ...

- We will provide the best service in the industry by utilizing a team of dedicated Customer Service Specialists.
- Our product will maintain a high degree of consistency and quality to meet the needs of our customers, by manufacturing our product to ISO standards.
- We will incorporate our customers input when making decisions, by using ideas and suggestions brought to us.
- All our business dealings will be handled with integrity, by ensuring customers and suppliers alike know the facts.
- New product innovation will be an integral part of our business strategy, by continually anticipating market trends and designing the accessories demanded by the industry.

For questions or concerns pertaining to products contained in this catalog, please contact our Customer Service department. Our team of specialists will be happy to assist you.

Toll free: 1 800 565 6653 E-mail: service@mdteam.com Website: www.mdpro.com

## **TABLE OF CONTENTS**


TAP DOWNS         CM14264       Pg.04         CM14266       Pg.04         CM14269       Pg.04         CM14272       Pg.05         CM14273       Pg.05         CM14276       Pg.05         CM17133       Pg.06	CM14297       Pg.14         WSB4424       Pg.15         WSB4425       Pg.15         WSB4426       Pg.15         WSB4424LP       Pg.15         WSB4425LP       Pg.15         WSB4426LP       Pg.15         WSB4426LP       Pg.15	LUXURY VINYL FINISIHING         ESSENTIALS         LVT FLOOR PROFILES         CM2161
CM14259	SPECIALTY TRIM         CM14802       Pg.15         CM1122       Pg.16         CM1125       Pg.16         CM1155       Pg.16         CM14281       Pg.17	LV8305       Pg.23         LV8307       Pg.23         LV8503       Pg.23         LV8505       Pg.23         LV8507       Pg.23
CM14256       Pg.07         CM14261       Pg.08         CM14285       Pg.08         CM14265       Pg.08         CM14280       Pg.09         CM14283       Pg.09         SEAM BINDERS         CM14277       Pg.10         CM14292       Pg.10	CM14282       Pg.17         CM14861       Pg.17         CM14289       Pg.18         CM18176       Pg.18         CM99951       Pg.19         CM3220       Pg.19         CM14299       Pg.19         CM14300       Pg.20         CM3210       Pg.20         CM1162       Pg.20         CM1163       Pg.20	LVT STAIR PROFILES         LV8603       Pg.24         LV8605       Pg.24         LV8607       Pg.24         LV8803       Pg.24         LV8805       Pg.24         LV8807       Pg.24         LV8703       Pg.24         LV8705       Pg.24         LV8707       Pg.24
NOSING         CM14257       Pg.11         CM14290       Pg.11         CM14295       Pg.11         CM14262       Pg.12         CM14294       Pg.12	CM1164	LVT MULTI-PURPOSE PROFILES         CM1156
CM14293 Pg.13 CM17352 Pg.13  THRESHOLDS CM1144 Pg.14 CM1148 Pg.14	CM14270 Pg.21	POLICY AND WARRANTY Pg.28

# **CARPET METAL & SPECIALTY TRIM**

M-D PRO's traditional line of carpet metal and specialty trim was designed to provide products that aid in unique and detail oriented installations. This tried and true program has been honed and fine tuned over decades of countless installations and experience. These can include applications such as counters, mirrors/glass, fireplaces, and wheelchair accessible ramps. No matter what the situation is, M-D PRO can provide the item to finish the job with functionality and flare.







## CM14264


Extra heavy duty pinned Tapdown for use with the thickest action backed carpets. Ultra Pin system for maximum holding strength. 3/4" top face.

LENGTH: 12 FT | PACK SIZE: 42 PCS AVAILABLE IN FLEX (CONTOUR): 12 PCS

CVG HGA HSI HTI	Profile Number	Dimensions		Fini	shes	
	Profile Number	Dimensions	CVG	HGA	HSI	HTI

CM14264 H=3/4", W=1-5/8"





## CM14266

Straight face pinned Tapdown for use with action back carpet. Extra thick face insures long lasting quality installation.

## ADA compliant after install.\*


LENGTH: 12 FT | PACK SIZE: 42 PCS AVAILA

.ABLE	IN	FLEX	(CON	TOUR)	: 12	PCS	

Profile Number Dimensions HGA HSI HTI KHG	Drofile Noveber	Dimanaiana		Finis	shes	
	Profile Number	Dimensions	HGA	HSI	HTI	KHG

\* ADA CM14266 H=5/8", W=1-3/8"





#### CM14269


Economy large lip (3/4") Tapdown for use with the thickest action backed carpet. May be used in areas of low traffic. 14269 has the same Ultra Pin system as our other pinned metals for maximum holding strength.

LENGTH: 12 FT | PACK SIZE: 42 PCS AVAILABLE IN FLEX (CONTOUR): 12 PCS

Profile Number	Dimensions			Finis	shes		
Profile Number	Dimensions	CVG	HAB	HCR	HGA	HSI	HTI

CM14269 H=3/4", W=1-1/2"






## CM14272


Residential weight pinned Tapdown with additional top return to lock in carpet. For use with low to medium pile action backed carpet up to 30 oz. Ultra Pin system for maximum holding strength.

## ADA compliant after install.\*

LENGTH: 12 FT | PACK SIZE: 42 PCS AVAILABLE IN FLEX (CONTOUR): 12 PCS

Profile Number	Dimensions		Finis	shes	
Profile Nuffiber	Difficusions	HAB	HGA	HSI	HTI
*ADA CM14272	H=9/16", W=1-3/8"	•	•	•	•





#### CM14273


Economy weight pinned Tapdown for use with low pile action backed carpet.

## ADA compliant after install.\*

LENGTH: 12 FT | PACK SIZE: 42 PCS AVAILABLE IN FLEX (CONTOUR): 12 PCS

Drafila Number	Dimensions			Finishes		
Profile Number	Dimensions	CVG	HGA	HSI	HTI	KHG
*ADA CM14273	H=1/2", W=1-3/8"	•	•	•	•	•





## CM14276


Heavy duty pinned Tapdown for use with high pile action backed carpet up to 60oz. Ultra Pin system for maximum holding strength.

## ADA compliant after install.\*

LENGTH: 12 FT | PACK SIZE: 42 PCS AVAILABLE IN FLEX (CONTOUR) : 12 PCS

Due file Norrele en	Dimensions			Finishes		
Profile Number	Dimensions	CVG	HAB	HGA	HSI	HTI
* ADA CM14276	H=5/8", W=1-1/2"	•	•	•	•	•





## CM17133

Heavy duty pinned Tapdown used to hold down a very thick stretch of carpet.


## ADA compliant after install.\*

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Numbers	Dimonoiono		Finishes	
Profile Numbers	Dimensions	HGA	HSI	HTI

\* ADA CM17133 H=5/64", W=1-11/16"





#### CM14259

Heavy duty pinless Tapdown for use with rubber backed and direct glue down installations. Nail holes on 12" centres.


## ADA compliant after install.\*

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions		Finis	shes	
Profile Number	Dimensions	HGA	HSI	HTI	KHG

\*ADA CM14259 H=5/8", W=1-3/8"





## CM14260

Residential weight Pinless Tapdown for use with foam backed carpet or direct glue down installations.


## ADA compliant after install.\*

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions			Finishes		
Profile Number	Dimensions	CVG	HAB	HGA	HSI	HTI

\* ADA CM14260 H=1/2", W=1-1/4"





#### CM14284


Multi-purpose Tapdown that can be used for carpet underpad installation or glue down installations. The large lip covers even the thickest carpets with room for tucking the edge. Tackless can be used on the bottom for carpet with underpad installations.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Numbers	Dimonsions		Fini	shes	
Profile Numbers	Dimensions	НАВ	HGA	HSI	HTI

CM14284 H=3/4", W=1-3/8" • • • •





## CM14296


Commercial duty Pinless Tapdown for use in high traffic commercial settings. Used in glue down carpet installations.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes
Profile Nuffibers	Difficilisions	HSI

CM14296 H=3/4", W=1-7/8"

## **BEVEL BARS**





#### CM14256

1-1/2" Residential Bevel Bar for transitions. Made for height differentials of up to 3/8".


LENGTH: 12 FT | PACK SIZE: 42 PCS

METAL DECOR\*: 12 PCS

Duefile Numbers	Dimensions	Finishes							
Profile Numbers		CVG	DOK*	GOK*	HAB	HCR	HGA	HSI	HTI
ADA CM14256	H=3/8", W=1-1/2"	•	•	•	•	•	•	•	•

## **BEVEL BARS**





## CM14261


2" Commercial weight Bevel Bar. For use in high traffic areas or where extreme height differentials exists.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers Differisions HGA HSI HTI	Drofile Numbers	Dimensions		Finishes	
	Profile Numbers	Dimensions	HGA	HSI	HTI

ADA CM14261 H=3/8",W=2" • • •





## CM14285

1" Residential Bevel Bar for transitions. Made for height differentials of up to 5/16".

LENGTH: 12 FT | PACK SIZE: 42 PCS

Drofile Number	Dimensions			Finishes		
Profile Number	Dimensions	CVG	HAB	HGA	HSI	HTI
ADA CM14285	H=1/4", W=1"	•	•	•	•	0




1" Bevel Bar for transitions. Made for height differentials of up to 5/16".

LENGTH: 12 FT | PACK SIZE: 42 PCS

Drafila Number	Dimensions			Finishes		
Profile Number	Dimensions	CVG	HAB	HGA	HSI	HTI
ADA CM14265	H=1/4". W=1"					

## **BEVEL BARS**






## CM14280

1-1/2" Economy Bevel Bar for transitions. Made for height differentials of up to 3/8".

LENGTH: 12 FT | PACK SIZE: 42 PCS

Duafila Numahaya	Dimanaiana			Finishes		
Profile Numbers	Dimensions	CVG	HAB	HGA	HSI	HTI
ADA CM14280	H=3/8", W=1-1/2"	•	•	•	•	•





## CM14283


1-1/2" Heavy Duty for heavy traffic application. Made for height differentials of up to  $3/8\ensuremath{^{"}}.$ 

LENGTH: 12 FT | PACK SIZE: 42 PCS

Drofile Numbers	Dimonoiono		Finishes	
Profile Numbers Dimensions	HGA	HSI	KHG	
ADA CM14283	H=5/16", W=1-1/2"	•	•	•

## **SEAM BINDERS**





## CM14277


3/4" Seam Binder Covers seams of hard surface or resilient floors.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Drofile Numbers	Dimensions		Finishes	
Profile Numbers	Dimensions	HGA	HSI	HTI

MACM14277 H=1/10", W=3/4"






## CM14292


1-1/4" for seams where greater bridging is required.

LENGTH: 12 FT | PACK SIZE: 42 PCS METAL DECOR\*: 12 PCS

Profile Numbers	Dimensions			Finis	shes		
Profile Numbers	Dimensions	CVG	GOK*	HAB	HGA	HSI	HTI
₩ CM14292	H=1/10", W=1-1/4"	•			•	•	0

## **NOSING**





## CM14257

1-1/8" Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.


LENGTH: 12 FT | PACK SIZE: 42 PCS METAL DECOR\*: 12 PCS

Drofile Numbers	Dimensions				Finis	shes			
Profile Numbers	Dimensions	CVG	DOK*	GOK*	HAB	HGA	HSI	HTI	KHG



H=1-1/8", W=1-1/8"





## CM14290

1-5/8" Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions				Finishes			
Profile Numbers	Dimensions	CVG	HAB	HCR	HGA	HSI	HTI	KHG



H=1-5/8", W=1-1/8"





## CM14295

Full 2" Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS


Profile Numbers	Dimensions		Finishes	
Profile Nuffibers	Dimensions	HGA	HSI	HTI

ADA CM14295

H=2", W=1-1/4"

## **NOSING**





## CM14262


1-1/8" Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Duefile Number	Dimensions			Finishes		
Profile Number	Dimensions	CVG	HAB	HGA	HSI	HTI
0.11.4000	LL 1 1 /0" W/ 1 1 /0"					

© CM14262 H=1-1/8", W=1-1/8" • • • • • •





## CM14294

1-1/2" Drop X 2-1/2" Tread Stair Nosing. Provides excellent traction and protection at edge of stair. Ideal for repairing stairs where existing nosing has worn out. Designed for commercial use.

Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.


LENGTH: 12 FT | PACK SIZE: 12 PCS

BCL HSI HTI SGA	Profile Numbers	Dimensions	Finishes			
	Profile Numbers	Dimensions	BCL	HSI	HTI	SGA

CM14294 H=1-1/2", W= 2-1/2" • • •

## **NOSING**





## CM14293

1-3/16" Drop X 3-3/16" Tread Stair Nosing. Provides excellent traction and protection at edge of stair. Ideal for repairing stairs where existing nosing has worn out. Designed for commercial use.


Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes		
Profile Numbers	umbers Dimensions	BCL	SGA	

CM14293 H=1-3/16", W=3-1/16" • •





## CM17352

Scribe to Nosing for 1/8" VCT or resilient floors of similar thicknesses. 1-5/8" inside drop to work in most settings. With adhesive reservoir for clean and easy installation.

LENGTH: 12 FT | PACK SIZE: 12 PCS


Dyafila Numbaya	Dimensions		shes
Profile Numbers	Dimensions	SCA	STI

№ CM17352

H1=1/8", H2=1-5/8", W=1-3/16"

## **THRESHOLDS**





#### CM1144


Ribbed threshold for use in joining large gaps.
Can also be used as an expansion joint cover.
Suitable where low profile or wheelchair access is required.
Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers Dimensions		Finishes
Profile Nufficers	Difficilisions	MIL



H=3/16", W=2-1/2"





## CM1148

Ribbed threshold for use in joining large gaps. Can also be used as an expansion joint cover.


Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Drofile Numbers	Dimensions	Finishes
Profile Numbers	Profile Numbers Dimensions	



H=1/8", W=4"





## CM14297

Smooth-top threshold for use in joining large gaps. Can also be used as an expansion joint cover. Suitable for high traffic areas.

Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS


Profile Numbers	Dimensions	Finishes
Profile Numbers	Dimensions	MIL

ADA CM14297

H=1/4", W=2-1/2"

## **THRESHOLDS**





## WS4424/4425/4426

Barrier Free quality extruded Aluminum Thresholds designed for use in commercial applications. Support bars built for added strength.

Full 1/2" height for retrofit situations. 1/4" low profile (LP) height.

Construction Materials Board (CMB) listed material.

- Thresholds come drilled center line, staggered, or undrilled.
- Thresholds shown meet requirements of ADA, CAN/CSA-B651 and ADMG-1992.


Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 5 PCS

Duefile Numbers	Dimonoiono	Finishes
Profile Numbers	Dimensions	MIL
ADA WSB4424	H1=1/8", H2=1/2", W=4"	•
WSB4425	H1=1/8", H2=1/2", W=5"	0
ADA WSB4426	H1=1/8", H2=1/2", W=6"	•
ADA WSB4424LP	H1=1/8", H2=1/4", W=4"	0
ADA WSB4425LP	H1=1/8", H2=1/4", W=5"	
	H1=1/8", H2=1/4", W=6"	<u> </u>
ADA WSB4426LP		•

## **SPECIALTY TRIM**





## CM14802


Tile Edge Cap for Finishing the edge of tile or resilient floor. Accommodates materials from 0.080" up to 1/8" thick.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Drafile Numbers		Duefile Numbers	Finis	shes
Profile Numbers	Dimensions	HSI	HTI	

CM14802 H=1/10", W=3/4"





## CM1122


Resilient Flooring Cap. Used when coving sheet goods up the wall to finish off the exposed edge. For materials up to  $2.5 \text{mm} (1/10^{\circ})$  or  $3.2 \text{mm} (1/8^{\circ})$  thick.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes
Profile Numbers	Dimensions	SCA



H=1/10", W=15/16"





## CM1125


Resilient Flooring Cap. Used when coving sheet goods up the wall to finish off the exposed edge. For materials up to  $2.5 \text{mm} (1/10^{"})$  or 3.2 mm (1/8") thick.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes
Profile Numbers	Dimensions	SCA



H=1/8", W=15/16"





## CM1155


7/8" wide Hatch Cover molding. Used to cover gaps in the floor where hatch covers are installed.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Drafila Numbera	Dimonoiono	Finishes		
Profile Numbers	Dimensions	MIL	SCA	STI

ADA CM1155

H=5/8", W=7/8"





## CM14281


1/4" face cap trim for 1/8" material.


LENGTH: 8FT, 12 FT | PACK SIZE: 42 PCS

Profile Numbers Dimensions MIL SCA STI	Profile Numbers	Dimensions		Finishes	
	Profile Numbers	Dimensions	MIL	SCA	STI

M CM14281

H=1/8", W=3/4"






## CM14282


9/32" face cap trim for 1/4" material.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Duefile Numbers	Dimonoiono	Dimensions	
Profile Numbers	Dimensions	SCA	SGA

CM14282 H=1/4", W=3/4"





## CM14861


Small face cap trim for 1/10" material.


LENGTH: 12 FT | PACK SIZE: 40 PCS

District Numbers	Finishes	
Profile Numbers	Profile Numbers Dimensions	SCA

ADA CM14861

H=1/10", W=13/16"






## CM14289


1/16" insert cove for laminate material.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Numbers	positio Numbers	Finishes
Profile Numbers	Dimensions	SCA

CM14289 H1=3/8", H2=1/16", W=3/4"






## CM18176


1/10" insert cove for resilient sheet goods up to 1/10".

LENGTH: 12 FT | PACK SIZE: 40 PCS

Drofile Numbers	Profile Numbers Dimensions		shes
Profile Numbers	Dimensions	MIL	SCA

CM18176 H1=7/16",H2=1/10", W=3/4" • •





## CM99951


1/8" insert cove for resilient sheet goods up to 1/8".


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes	
Frome Numbers	Difficults	MIL	SCA

CM99951

H1=7/16", H2=1/8", W=3/4"





## CM3220


Z-Bar is an offset hearth metal for installing carpet around fireplaces. Provides grip while remaining invisible.

LENGTH: 4 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Finishes
Profile Numbers	Difficulties	MIL

CM3220 H=1/2", W=1-3/16"





## CM14299

Pinless Divider for commercial use. Used where glue down carpet meets ceramic, hardwood, laminate, cushion floor on plywood or sheet vinyl on subfloor. (Can be adjusted to accept slightly thinner materials). For high traffic areas.


LENGTH: 12 FT | PACK SIZE: 42 PCS

Drafile Numbers	Dimensions	Finishes	
Profile Numbers	Profile Numbers Dimensions	HSI	HTI

MA CM14299

H1=7/16", H2=5/16", W1=1-7/16", W2=3/4"





#### CM14300


Pinned Divider for commercial use. Used where stretched in carpet meets ceramic, hardwood, laminate, cushion floor on plywood or sheet vinyl on subfloor. (Can be adjusted to accept slightly thinner materials). For high traffic areas.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Drofile Numbers	Dimensions	Finis	shes
Profile Numbers	rofile Numbers Dimensions	HGA	HSI



H1=7/16", H2=5/16", W1= 1-13/16", W2= 1-1/2"





## CM3210


2-1/4" wide **SABRE TOOTH STRAIGHT EDGE.** Grooves prevent tool from moving by biting into carpet. Allows carpet technician to cut carpet up to 12 feet wide. Clear Anodized to prevent marking carpet.

Sizes Available: SE 29" SE 75" SE 36" SE 84" SE 150"

PACK SIZE: 1 PC

Duefile Numbers	e Numbers Dimensions -	Finishes
Profile Numbers		SCA

CM3210 H=1/4", W=2-1/4"





## CM1162/1163/1164

Angle for use on corners to protect edge. Can also be used as an accent. Can be drilled.


LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers Dimensions	Finishe		es	
Profile Numbers	Dimensions	BCL	SCA	STI
CM1162	1/2"x 1/2"	•	•	•
CM1163	3/4"x 3/4"	•	•	•
CM1164	1"x 1"	•	•	•

<sup>\*</sup> Denotes ADA Compliant Profiles

## **CAP TRACK - PINLESS**





## CM14271

Pinless Channel for use where rubber backed carpet meets dissimilar flooring. Accepts all 3/16" leg "E" or "T" caps.

LENGTH: 12 FT | PACK SIZE: 25 PCS AVAILABLE IN FLEX (CONTOUR): 12 PCS


ALSO AVAILABLE WITH PRE-PUNCHED BASE

Profile Numbers	Dimensions	Finishes
Profile Numbers	Dimensions	MIL

CM14271 H=3/8", W1=1-1/4", W2=5/32"

## **CAP TRACK - PINNED**





## CM14270

Pinned Channel for use where action backed carpet meets dissimilar flooring. Accepts all 3/16" leg "E" or "T" caps.

LENGTH: 12 FT | PACK SIZE: 25 PCS AVAILABLE IN FLEX (CONTOUR): 12 PCS

Profile Numbers	Dimensions	Finishes
Profile Nuffibers	Difficusions	MIL

CM14270

H=3/8", W1=1-7/16", W2=5/32"


## **LUXURY VINYL FINISHING ESSENTIALS**

The M-D PRO line of luxury vinyl transitions and finishing accessories provide versatility and function for the most common LVT/LVP applications. Providing these **ESSENTIAL profiles** allows you to consolidate inventory while satisfying customer needs.

- All Floor and Stair profiles can accommodate flooring material up to 7mm thick!
- New sizes provide versatility and range for flooring material thickness
- Universal 3/8" top lip accepts both floating and glue down applications
- Rounded corner edge for smooth and safe transition
- Durable, anodized finishes complement today's most popular flooring styles
- Reduce SKU count and stock these ESSENTIALS today!

## LVT FLOOR PROFILES





## **LVT TO CARPET**


LVT to Carpet transition for use where Luxury Vinyl Tile or Plank Flooring meets low pile carpet or other flooring material.

LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESSS

Profile	Dimensions	Finishes				
Number	Dimensions		SAB	STI		
LV8903	T=5/64"-1/8" (2mm - 3mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	0	•	0		
LV8905	<b>T</b> =5/32"-13/64" (4mm - 5mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	•	•	•		
LV8907	<b>T</b> =15/64"-9/32" (6mm - 7mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	•	•	•		





#### LVT TO TILE ADPATER


LVT to Tile Adapter for use where tile meets existing Luxury Vinyl Tile or Plank Flooring up to 1/4" (6.5mm) thick.


LENGTH: 8 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESSS

Profile		Finishes									
Number	Dimensions	BBR	BCL	MIL	SAB	SBK	SCA	SCP	SDB	SGA	STI
CM2161	<b>T</b> =1/4" (6.5mm), H=3/8" (10mm)	•	•	0	•	•	•	•	۰	•	•
CM2162	<b>T</b> =1/4" (6.5mm), H=1/2" (12.5mm)	•				•			•		•

## **LVT FLOOR PROFILES**






## REDUCER


Reducer for use with Luxury Vinyl Tile or Plank Flooring.

LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESSS

Profile Numbers	Dimensions	Finishes				
Profile Numbers	Dimensions	SAB	SCA	STI		
ADA LV8303	<b>T</b> =5/64" - 1/8" (2mm - 3mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•		
ADA LV8305	T=5/32" - 13/64" (4mm - 5mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•		
ADA LV8307	T=15/64" - 9/32" (6mm - 7mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•		





## J-MOLDING

J-Molding/End Cap for use with Luxury Vinyl Tile or Plank Flooring.


LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESSS

Profile Numbers	Dimensions		Finishes				
Profile Numbers			SCA	STI			
ADA LV8503	<b>T</b> =5/64"-1/8" (2mm - 3mm), H=15/64" (6mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•			
№ LV8505	<b>T</b> =5/32"-13/64" (4mm - 5mm), H=19/64" (7.5mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•			
<sup>₽</sup> LV8507	<b>T</b> =15/64"-9/32" (6mm - 7mm), H=3/8" (10mm), W1=1" (25mm), W2=3/8" (10mm)	•	•	•			

## **LVT STAIR PROFILES**






## **INSIDE COVE**

Inside Cove for use with Luxury Vinyl Tile or Plank Flooring. Typically used to finish corners of stair tread-to-riser applications. Avoid dirt build-up in riser corners.

LENGTH: 12 FT | PACK SIZE: 12 PCS
\*(T) APPLICATION THICKNESSS

Due file Numbers	Dimonoione			
Profile Numbers	Dimensions	SAB	SCA	STI
LV8603	<b>T</b> =5/64" - 1/8" (2mm - 3mm), H/W=1" (25mm)	•	•	0
LV8605	<b>T</b> =5/32" - 13/64" (4mm - 5mm), H/W=1" (25mm)	•	•	•
LV8607	<b>T</b> =15/64" - 9/32" (6mm - 7mm), H/W=1" (25mm)	•	•	•





## **OUTSIDE CORNER SQUARE STAIR NOSE**


Outside Corner Square Stair Nosing for use with Luxury Vinyl Tile or Plank Flooring. Minimal reveal outside corner edge provides clean finish.

LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESSS

Duofile Numbers	Dimonoiono		Finishes				
Profile Numbers	Dimensions	SAB	SCA	STI			
LV8803	<b>T</b> =5/64" - 1/8" (2mm - 3mm), H=1" (25mm), W=1-1/4" (32mm)	•	•	•			
LV8805	<b>T</b> =5/32" - 13/64" (4mm - 5mm), H=1" (25mm), W=1-1/4" (32mm)	•	•	•			
LV8807	<b>T</b> =15/64" - 9/32" (6mm - 7mm), H=1" (25mm), W=1-1/4" (32mm)	•	•	•			





## **STAIR NOSING**

Stair Nosing for use with Luxury Vinyl Tile or Plank Flooring.


LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESSS

Drofile Numbers	Dimensions		Finishes				
Profile Numbers			SCA	STI			
LV8703	<b>T</b> =5/64"-1/8" (2mm - 3mm), H=1-7/8" (47.5mm), W1=3/8" (10mm), W2=1-5/8" (41mm)	•	•	0			
LV8705	T=5/32"-13/64" (4mm-5mm), H=1-7/8" (47.5mm), W1=3/8" (10mm), W2=1-5/8" (41mm)	•	•	•			
LV8707	T=15/64"- 9/32" (6mm - 7mm), H=1-7/8" (47.5mm), W1=3/8" (10mm), W2=1-5/8" (41mm)	•	•	•			

## LVT MULTI-PURPOSE PROFILES





## **EXPANSION JOINT**

Expansion Joint for use between Luxury Vinyl Tile/Plank Flooring and other flooring materials of equal heights where expansion is expected.

LENGTH: 8 FT | PACK SIZE: 12 PCS


\*(T) APPLICATION THICKNESSS

Profile Number Dimensions  BBR BCL MIL SBK SCA SCP SDB SGA STI			Finishes								
	Profile Number	Dimensions	BBR	BCL	MIL	SBK	SCA	SCP	SDB	SGA	STI



**T**=5/16" (8mm), W=7/8" (22mm)





## **JOINT REDUCER**

Joint Reducer for use between Luxury Vinyl Tile/Plank Flooring and other flooring materials of different heights where expansions is expected.

LENGTH: 8 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESSS

Drofile Numbers	Dimensions	Finis	shes
Profile Numbers	Dimensions	SCA	STI



**T**=13/64" - 9/32" (5mm - 7mm), H=5/16" - 3/8" (8mm - 10mm), W=7/8" (22mm)


## M-D MULTI-FLOOR®





The M-D MULTI-FLOOR® underlayment system provides advanced durability & protection for ALL floating floor applications! The versatile underlayment is suitable for multiple areas of application and substrates. Exclusive elastic spring technology allows for dynamic contraction, delivering a durable and comfortable walking surface for years to come. With the ability to be used under all floating floor surface materials (hardwood, laminate, LVT/LVP, and carpet), M-D MULTI-FLOOR® is the ultimate solution for the most common flooring applications!

PACK SIZE: 1 ROLL



- A. Concrete or plywood substrate
- B. MULTI-FLOOR
- C. 5/8" (16 mm) tongue-and-groove plywood
- D. Hardwood or laminate
- E. LVT/LVP or carpet

Profile Number Dimensions	Color
---------------------------	-------

MD8010GRY20 215 sq.ft (20 m) roll Grey



## M-D MULTI-FLOOR® SEALING TAPE

Tape designed to seal all joints between sections of M-D MULTI-FLOOR® underlayment. The tape resists moisture and provides premium bonding capabilities.\*

PACK SIZE: 6 ROLLS

Profile Number Dimensions	Color
---------------------------	-------

**MD8020BLK55** 180.4' x 1.9" (55 m x 48 mm) Black




\* Seal all joints with M-D MULTI-FLOOR® SEALING TAPE

**NOTE:** This step is recommended for all applications, but it is required for installations done below grade or on concrete substrates that are above or below grade.

## **ALUMINUM FINISHES**

(Finishes may not appear exactly as shown. Please request a sample prior to placing an order)



<sup>\*\*</sup>DISCLAMIER: DO NOT USE MILL FINISH IN WET AREAS. MILL product is aluminum in its raw state, therefore there is a high risk of oxidization on the product and staining on the flooring material and/or grout when it is used in wet areas.

## **BROKEN CARTON POLICY**

Less than full cartons may be purchased on select items with a minimum up charge of 20%, please contact your Customer Service Representatives for details. No returns will be granted for items that fall below the standard carton/pack size.

## M-D PRO LIMITED WARRANTY

M-D PRO products are warranted for a period of 1 (one) year from date of shipment. All products will be subject to the following manufacture warranties; Products will conform to original product and contract description with only such reasonable variations as is acceptable in the trade. These products will be fit for the purposes for which they were intended and that they will be professionally packaged and labeled. M-D PRO will replace any defective product found if said defect is identified before installation. If a defect is found after installation, M-D PRO must be notified in writing within 10 days of installation. The customer must then, at M-D PRO's discretion, allow an inspection of the installation. If upon inspection, M-D PRO determines the product to be defective, M-D Pro will at its own discretion supply replacement materials that conform to the contract requirements or issue a credit equal to but not exceeding the original purchase price for the goods in question. M-D PRO assumes no liability or responsibilities for labor or the cost of other materials used in such installations.

These warranties do not circumvent any individual product category warranties implied or stated by M-D PRO.

Warranties do not apply to the following specified items, terms and conditions:

- A. Exact matching of color, shade, texturing or mottling.
- B. Any warranties, other than expressed above, implied or promised by any sales representative.
- C. Tears, scratches, burns, or other damage caused by improper installation, improper use or maintenance.
- **D.** Sales of "Seconds", or "Imperfect" goods.
- **E.** Problem caused by moisture, hydrostatic pressure or alkali in the sub-floor.
- **F.** Problem caused by installation with non-approved adhesive. If you are unsure about the suitability of a particular adhesive, please call us for our recommendations.
- **G.** Product installed outdoors. M-D PRO products are designed for interior use only.
- **H.** Color degradation caused by sunlight or other U.V. exposure. These warranties are supplied in lieu of any other warranty, expressed or implied. All product specifications are subject to change without notice.

NOTES			

NOTES		



5720 Ambler Drive Mississauga, ON, L4W 2B1 Telephone: 1 800 565 6653 E-mail: service@mdteam.com

Website: www.mdpro.com

Part #: MPCATMETALLOX
Print date: May 2022